ANALYTICA CHIMICA ACTA, VOL. 277 (1993)

AUTHOR INDEX

Ananda, M.M.A.
—, Singh, A.K. and Flatman, G.T.
Bayesian confidence intervals for the product of three normal means 503
Ananda, M.M.A., see Singh, A.K. 255
Audunsson, G., see Jönsson, J.Å. 9

Barreto, W.J., see Zaia, D.A.M. 89
Baum, E.J.
Receptor models to study groundwater contamination 421
Beasy, M.A., see White, R.L. 333
Blank, T.B.
— and Brown, S.D.
Data processing using neural networks 273
Bond, A.M.
—, Pfund, B.V. and Newman, O.M.G.
Polarographic determination of total iron, iron(II) and iron(III) in zinc plant electrolyte 145
Borgen, O.S., see Ukkelberg, Å. 489
Bos, A.
—, Bos, M. and Van der Linden, W.E.
Artificial neural networks as a multivariate calibration tool: modeling the Fe–Cr–Ni system in x-ray fluorescence spectroscopy 289
Bos, M., see Bos, A. 289
Bramanti, E., see Scarano, G. 137
Brodmeier, T.
—, Gloor, A., Cadisch, M., Bürgin, R. and Pretsch, E.
Hypermedia tools for the interpretation of mass spectra 297
Brown, S.D., see Blank, T.B. 273
Bürgin, R., see Brodmeier, T. 297
Buydens, L., see Wehrens, R. 313

Cadisch, M., see Brodmeier, T. 297
Carr, P.W., see Poe, R.B. 223
Chen, Z., see Wang, J. 153
Cheng, M.-D., see Gao, N. 369
Chiba, Y., see Sato, K. 61
Ci, Y.-X.
—, Tie, J.-K., Yao, F.-J., Liu, Z.-L., Lin, S. and Zheng, W.-Q.
Catalytic behaviour of iron(II)–oxime complexes in the chemiluminescence reaction of luminol with hydrogen peroxide 67
Clark, D.S., see White, R.L. 333
Cullen, M.
— and Mearns, J.M.P.
Coulometric determination of arsenic in gallium arsenide crystal wafers 113

Danielson, N.D., see Holeman, J.A. 55
Dattner, S., see Spiegelman, C.H. 347
Deming, S.N., see Olivero, R.A. 441
Dombek, V., see Praus, P. 97
Doornbos, D.A., see Duineveld, C.A.A. 455
Duineveld, C.A.A.
—, Smilde, A.K. and Doornbos, D.A.
Designs for mixture and process variables applied in tablet formulations 455
Dunn, III, W.J., see Swain, D. 305

Eckert, C.A., see Poe, R.B. 223
Endo, A.S., see Zaia, D.A.M. 89

Flatman, G.T., see Ananda, M.M.A. 503
Frenzel, W.
—, Schepers, D. and Schulze, G.
Simultaneous ion chromatographic determination of anions and cations by series conductivity and flame photometric detection 103

Gao, N.
—, Cheng, M.-D. and Hopke, P.K.
Potential source contribution function analysis and source apportionment of sulfur species measured at Rubidoux, CA during the Southern California Air Quality Study, 1987 369
Garner, F.C., see Miah, M.J. 431
Gleser, L.J.
— and Yang, H.
Empirical Bayes estimation in factor analysis for aerosol mass apportionment 405
Gloor, A., see Brodmeier, T. 297
Goeringer, D.E., see Van Berkel, G.J. 41
Griffin, K.J., see Moen, M.O. 477
Grund, D.W., see White, R.L. 333
Guan, J.-S., see Yang, X.-J. 157

Hait, M.J., see Poe, R.B. 223
Harrington, P. de B.
— and Pack, B.W.
FLIN: Fuzzy Linear Interpolating Network 189

Hayashi, Y.
— and Matsuda, R.
Information theory of chromatography and titration 325
Hieftje, G.M., see Madrid, Y. 1
Hill, N.C., see Limbach, P.A. 31
Holeman, J.A.
— and Danielson, N.D.
Chemiluminescence reaction of thiazide compounds with tris(2,2′-bipyridine)ruthenium(III) 55
Hopke, P.K., see Gao, N. 369

Ishii, H., see Odashima, T. 79
Iwata, A.
—, Yamanaka, C., Nakashima, N. and Izawa, Y.
On-line real-time detection method for trace Cl^- in aqueous solution 25
Izawa, Y., see Iwata, A. 25

Jin, Q., see Madrid, Y. 1
Jonsson, J., see Wold, S. 239
Jönsson, J.Å.
—, Lövkvist, P., Audunsson, G. and Nilvé, G.
Mass transfer kinetics for analytical enrichment and sample preparation using supported liquid membranes in a flow system with stagnant acceptor liquid 9

Kalantar, A.H., see Moen, M.O. 477
Kateman, G.
— and Smits, J.R.M.
Colored information from a black box? Validation and evaluation of neural networks 179
Kateman, G., see Wehrens, R. 313
Kaufmann, P.
Prediction of mixture composition by chromatographic characterization, multivariate classification and partial least-squares regression, a comparison of methods 467
Kim, H.S., see Limbach, P.A. 31
Kokkinidis, G., see Papanastasiou, G. 119
Kowalski, B., see Seasholtz, M.B. 165
Krock, K.A.
— and Wilkins, C.L.
Environmental applications of combined multidimensional gas chromatography–infrared–mass spectrometry 381

Laing, G.A., see Miah, M.J. 431
Lavine, B.K.
—, Stine, A. and Mayfield, H.T.
Gas chromatography–pattern recognition techniques in pollution monitoring 357
Li, M., see Yu, B. 199
Li, Z., see Yu, B. 199
Limbach, P.A.
—, Kim, H.S., Hill, N.C. and Marshall, A.G.
Fast neutral beam Fourier transform ion cyclotron resonance mass spectrometry for analysis of insulating and conductive materials 31
Lin, S., see Ci, Y.-X. 67
Liu, A., see Yu, B. 199
Liu, Z.-L., see Ci, Y.-X. 67
Lövkvist, P., see Jönsson, J.Å. 9
Lu, Y., see Wang, J. 153
Lucasius, C., see Wehrens, R. 313
Luo, Y., see Wang, J. 153

Madrid, Y.
—, Wu, M., Jin, Q. and Hieftje, G.M.
Evaluation of flow-injection techniques for microwave plasma torch atomic emission spectrometry 1
Marshall, A.G., see Limbach, P.A. 31
Matsuda, R., see Hayashi, Y. 325
Mayfield, H.T., see Lavine, B.K. 357
Mearns, J.M.P., see Cullen, M. 113
Meloun, M., see Militký, J. 215, 267
Miah, M.J.
—, Garner, F.C., Stapanian, M.A. and Laing, G.A.
Optimal frequency of quality control analyses in environmental measurement 431
Militký, J.
— and Meloun, M.
Some graphical aids for univariate exploratory data analysis 215
— and Meloun, M.
Use of the mean quadratic error of prediction for the construction of biased linear models 267
Moen, M.O.
—, Griffin, K.J. and Kalantar, A.H.
Simple regression and outlier detection using the median method 477

Nakashima, N., see Iwata, A. 25
Newman, O.M.G., see Bond, A.M. 145
Nilvé, G., see Jönsson, J.Å. 9

Odashima, T.
— and Ishii, H.
Synthesis and properties of hydrazones from 3- and/or 5-nitro-2-pyridylhydrazine and heterocyclic aldehydes, characterization of their complexes and extraction–spectrophotometric determination of traces of nickel with 2-pyridinecarbaldehyde 3,5-dinitro-2-pyridylhydrazone 79
Ogawa, K., see Watarai, H. 73
Olivero, R.A.
—, Seshadri, S. and Deming, S.N.
Development of an expert system for selection of experimental designs 441

Pack, B.W., see Harrington, P. de B. 189
Pan, S., see Wang, J. 153
Pan, Z., see Yu, B. 199
Papanastasiou, G.
—, Ziogas, I. and Kokkinidis, G.
Simultaneous determination of equivalence volumes and thermodynamic acid dissociation constants from data for the acidic region of potentiometric titration curves 119
Penlidis, A., see Phatak, A. 495
Pfund, B.V., see Bond, A.M. 145

Phatak, A.
—, Reilly, P.M. and Penlidis, A.
An approach to interval estimation in partial least squares regression 495
Poe, R.B.
—, Rutan, S.C., Hait, M.J., Eckert, C.A. and Carr, P.W.
Developing models for infinite dilution activity coefficients using factor analysis methods 223
Praus, P.
— and Dombek, V.
Separation of chlorophenols by capillary isotachophoresis 97
Pretsch, E., see Brodmeier, T. 297

Rännar, S., see Wold, S. 239
Reilly, P.M., see Phatak, A. 495
Rutan, S.C., see Poe, R.B. 223

Sandberg, M., see Wold, S. 239
Santos, N.J., see Zaia, D.A.M. 89
Sato, K.
—, Chiba, Y. and Tanaka, S.
Selective determination of L-ascorbic acid by a chemiluminescence method with ascorbate oxidase 61
Scarano, G.
— and Bramanti, E.
Voltammetric behaviour of marine hydrophobic copper complexes: effect of adsorption processes at a mercury electrode 137
Schepers, D., see Frenzel, W. 103
Schulze, G., see Frenzel, W. 103
Seasholtz, M.B.
— and Kowalski, B.
The parsimony principle applied to multivariate calibration 165
Seshadri, S., see Olivero, R.A. 441
Shen, T.-J., see Yang, X.-J. 157
Shi, L., see Yu, B. 199
Singh, A.
Multivariate decision and detection limits 205
Singh, A., see Singh, A.K. 473
Singh, A.K.
— and Singh, A.
Bayesian slippage test for detection of outlying sub-samples 473
—, Ananda, M.M.A. and Sparks, A.R.
Superfund site characterization using non-parametric variogram modeling 255
Singh, A.K., see Ananda, M.M.A. 503
Sjöström, M., see Wold, S. 239
Smilde, A.K., see Duineveld, C.A.A. 455
Smits, J.R.M., see Kateman, G. 179
Sparks, A.R., see Singh, A.K. 255
Spiegelman, C.H.
— and Dattner, S.
Applying and developing receptor models to the 1990 El Paso air data: a look at receptor modeling with uncharacterized sources and graphical diagnostics 347
Stapanian, M.A., see Miah, M.J. 431
Stine, A., see Lavine, B.K. 357
Suzuki, N., see Watarai, H. 73
Swain, D.
—, Dunn, III, W.J. and Talaat, R.E.
Pattern recognition studies of tandem mass spectra 305

Talaat, R.E., see Swain, D. 305
Tanaka, S., see Sato, K. 61
Tie, J.-K., see Ci, Y.-X. 67

Ukkelberg, Å.
— and Borgen, O.S.
Outlier detection by robust alternating regression 489

Van Berkel, G.J.
— and Goeringer, D.E.
Gas chromatography–tandem mass spectrometry implemented on a bench-top quadrupole ion trap-based instrument using random noise to effect collision-induced dissociation 41
Van der Linden, W.E., see Bos, A. 289
Vong, R.J.
Atmospheric chemometrics for identification of trace element sources in precipitation 389

Wang, J.
—, Luo, Y., Chen, Z., Lu, Y., Pan, S. and Wang, X.
Remote analysis of motorboat exhausts using Fourier transform infrared spectrometry 153
Wang, X., see Wang, J. 153
Watarai, H.
—, Ogawa, K. and Suzuki, N.
Formation of fluorescent complexes of Eu(III) and Sm(III) with β-diketones and trioctylphosphine oxide in oil–water microemulsions 73
Wehrens, R.
—, Lucasius, C., Buydens, L. and Kateman, G.
HIPS, a hybrid self-adapting expert system for nuclear magnetic resonance spectrum interpretation using genetic algorithms 313
Wentzell, P.D., see White, R.L. 333
White, R.L.
—, Wentzell, P.D., Beasy, M.A., Clark, D.S. and Grund, D.W.
Taxonomy of *Amanita* mushrooms by pattern recognition of amino acid chromatographic data 333
Wilkins, C.L., see Krock, K.A. 381
Wold, S.
—, Jonsson, J., Sjöström, M., Sandberg, M. and Rännar, S.
DNA and peptide sequences and chemical processes multivariately modelled by principal component analysis and partial least-squares projections to latent structures 239
Wu, M., see Madrid, Y. 1

Yamanaka, C., see Iwata, A. 25
Yang, H., see Gleser, L.J. 405

Yang, X.-J.
—, Guan, J.-S. and Shen, T.-J.
Determination of trace zirconium and hafnium in high-purity scandium oxide by inductively coupled plasma atomic emission spectrometry and extraction chromatography 157
Yao, F.-J., see Ci, Y.-X. 67
Yu, B.
—, Li, M., Liu, A., Li, Z., Shi, L. and Pan, Z.
Some novel methods based on recursive optimal estimation. Applications to analytical chemistry 199
Zaia, D.A.M.
—, Barreto, W.J., Santos, N.J. and Endo, A.S.
Spectrophotometric method for the simultaneous determination of proteins and amino acids with *p*-benzoquinone 89
Zheng, W.-Q., see Ci, Y.-X. 67
Ziogas, I., see Papanastasiou, G. 119